

NOAA - National Weather Service


Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay


April 2021 Climate Summary for West Central and Southwest Florida

Temperatures averaged from slightly below normal to a couple of degrees above normal for the month which did not place any of our official NWS sites in the Top Ten Warmest/Coolest for April. In the table below are the available sites at this time.


APRIL TEMPERATURE RANKINGS (°F):

| | April 2021 | | Normal | Dep fm | Records |
|-------------------------|-------------------|-------|----------|--------|----------|
| Location | Rank Avg | Temp | Apr Temp | Normal | Began |
| | | | | | |
| Fort Myers Area | 24th Warmest(tie) | 75.3° | 73.8° | +1.5° | Jan 1902 |
| St Petersburg Area | 39th Warmest | 74.0° | 72.9° | +1.1° | Aug 1914 |
| Tampa Area | 27th Warmest(tie) | 73.9° | 72.0° | +1.9° | Apr 1890 |
| Lakeland Area | 24th Warmest(tie) | 73.7° | 71.1° | +2.6° | Jan 1915 |
| Punta Gorda Area | 34th Warmest(tie) | 73.7° | 71.8° | +1.9° | May 1914 |
| Winter Haven Area | 26th Warmest | 73.5° | 72.2° | +1.3° | Mar 1941 |
| Bartow | 53rd Warmest | 72.6° | 72.5° | +0.1° | Jun 1892 |
| Sarasota-Bradenton Area | 35th Warmest | 72.3° | 71.1° | +1.2° | Jan 1911 |
| Venice | 36th Warmest | 71.7° | 71.1° | +0.6° | May 1955 |
| St. Leo | 66th Coolest(tie) | 71.5° | 71.9° | -0.4° | Apr 1895 |
| Wauchula 2 N | 28th Coolest(tie) | 71.0° | 71.7° | -0.7° | Jan 1933 |
| Myakka River State Park | 16th Coolest(tie) | 70.9° | 71.6° | -0.7° | Mar 1956 |
| Tarpon Springs | 40th Coolest(tie) | 70.3° | 70.7° | -0.4° | Jan 1892 |
| Brooksville Area | 81st Warmest(tie) | 69.0° | 67.7° | +1.3° | Jan 1892 |





Contact: Paul Close, Paul.Close@noaa.gov Date: 05/07/21




Graphics Source: NOAA Regional Climate Centers

As far as rainfall, April is usually one of the drier months of the year, but this April we saw a few slow-moving cold fronts which brought widespread showers and thunderstorms to much of the region. This led to near to well above normal rainfall across the area with a couple of sites expected to be in the Top Ten Wettest for April.


APRIL RAINFALL (inches):

| Location | April 2021 Rank Rain | Total | Normal Apr Rain | Dep fm Normal | Records Began |
|--|--|--|--|---|--|
| Wauchula 2 N Brooksville Area St. Leo Sarasota-Bradenton Area Lakeland Area Fort Myers Area Tarpon Springs Winter Haven Area Tampa Area Bartow Punta Gorda Area Myakka River State Park Venice | 21st Wettest(tie) 20th Wettest 31st Wettest 16th Wettest 29th Wettest 49th Wettest 29th Wettest 25th Wettest | 6.16 4.50 4.21 4.09 3.87 3.73 3.62 3.55 3.35 2.91 2.89 2.79 2.53 | 2.74 2.56 2.62 2.44 2.67 2.18 2.37 2.48 2.03 2.73 2.43 2.59 2.48 | +3.42 +1.94 +1.59 +1.65 +1.20 +1.55 +1.25 +1.07 +1.32 +0.18 +0.46 +0.20 +0.05 | Jan 1933 Jan 1892 Apr 1895 Jan 1911 Jan 1915 Jan 1902 Jan 1892 Mar 1941 Apr 1890 Jun 1892 May 1914 Sep 1943 May 1955 |
| St. Petersburg Area | 61st Driest | 1.95 | 2.27 | -0.32 | Aug 1914 |

Contact: Paul Close, Paul.Close@noaa.gov Date: 05/07/21



April 2021 Rainfall



Percent of Normal Rain

On the following pages are tables of the top ten warmest, coolest, wettest, and driest Aprils at some official NWS locations, which includes the average/total so far for this April where available, and the 1981-2010 average temperature and rainfall for the month of April.

CHIEFLAND 5 ESE (records began in July 1956):

| Wá | armest | : Ar | prils | C | polest | t Ag | prils | We | ettest | Apı | rils | Dr | iest A | \pri | ils |
|----|--------|------|-------|----|--------|------|-------|----|--------|-----|------|----|--------|------|------|
| 1 | 73.0 | in | 1991 | 1 | 63.4 | in | 1961 | 1 | 14.61 | in | 1982 | 1 | 0.00 | in | 1967 |
| 2 | 72.5 | in | 2002 | 2 | 64.8 | in | 2005 | 2 | 8.46 | in | 1997 | 2 | 0.30 | in | 1963 |
| 3 | 72.2 | in | 1999 | 3 | 64.9 | in | 2004 | 3 | 7.39 | in | 1995 | 3 | 0.31 | in | 1969 |
| 4 | 71.8 | in | 1970 | 4 | 65.0 | in | 1962 | 4 | 7.16 | in | 1985 | 4 | 0.42 | in | 2016 |
| 5 | 71.5 | in | 2020 | 5 | 65.3 | in | 1993 | 5 | 7.13 | in | 1991 | 5 | 0.79 | in | 1989 |
| 6 | 71.3 | in | 2017 | 6 | 65.5 | in | 2000 | 6 | 6.65 | in | 1957 | 6 | 0.80 | in | 2000 |
| | 71.3 | in | 2011 | 7 | 65.6 | in | 2007 | 7 | 6.48 | in | 1983 | 7 | 0.88 | in | 2001 |
| 8 | 71.2 | in | 1911 | 8 | 66.4 | in | 1966 | 8 | 6.22 | in | 2005 | | 0.88 | in | 1998 |
| | 71.2 | in | 1965 | 9 | 66.6 | in | 1984 | 9 | 6.20 | in | 1961 | 9 | 0.91 | in | 1993 |
| 10 | 70.9 | in | 1994 | 10 | 66.9 | in | 1986 | 10 | 6.12 | in | 1979 | | 0.91 | in | 1981 |
| | | | | | 66.9 | in | 1983 | | | | | | | | |

Average Temperature for April 1-28, 2021 = 67.4° Normal Temperature for April at CHIF1 = 67.3°

Total Rainfall for April 1-28, 2021 = 3.73 inches Normal Rainfall for April at CHIF1 = 3.13 in.

INVERNESS 3 SE (records began in July 1948):

| W | armest | z Ar | prils | C | ooles | t Ag | prils | V | Vet | test | Apı | rils | Dr | iest A | Apri | ils |
|----|--------|------|-------|----|-------|------|-------|----|-----|------|-----|------|----|--------|------|------|
| 1 | 75.5 | in | 1954 | 1 | 64.8 | in | 1993 | 1 | L | 7.88 | in | 1953 | 1 | 0.00 | in | 1967 |
| 2 | 74.9 | in | 2015 | 2 | 66.1 | in | 2004 | 2 | 2 | 5.89 | in | 1991 | 2 | 0.06 | in | 2001 |
| 3 | 74.5 | in | 1968 | 3 | 66.2 | in | 2000 | 3 | 3 | 5.76 | in | 2011 | 3 | 0.07 | in | 1998 |
| 4 | 74.3 | in | 1967 | 4 | 66.3 | in | 2007 | 4 | 1 | 5.20 | in | 1997 | 4 | 0.20 | in | 1978 |
| 5 | 74.1 | in | 1965 | 5 | 66.4 | in | 1996 | | 5 | 5.15 | in | 1959 | 5 | 0.26 | in | 1987 |
| 6 | 74.0 | in | 1970 | 6 | 66.8 | in | 2003 | (| 5 | 5.01 | in | 2018 | 6 | 0.31 | in | 1977 |
| 7 | 73.5 | in | 2002 | | 66.8 | in | 1992 | - | 7 | 5.00 | in | 1982 | | 0.31 | in | 1974 |
| 8 | 73.1 | in | 1969 | 8 | 67.1 | in | 1998 | 8 | 3 | 4.89 | in | 1984 | 8 | 0.65 | in | 1999 |
| | 73.1 | in | 1963 | 9 | 67.3 | in | 1988 | 9 | 9 | 4.62 | in | 1966 | 9 | 0.73 | in | 1968 |
| 10 | 73.0 | in | 2020 | 10 | 67.4 | in | 1950 | 10 |) | 4.47 | in | 1992 | 10 | 0.76 | in | 1981 |

Average Temperature for April 1-28, 2021 = 68.9° Normal Temperature for April at INVF1 = 68.1°

Total Rainfall for April 1-28, 2021 = 5.52 inches Normal Rainfall for April at INVF1 = 2.29 in.

Date: 05/07/21 Contact: Paul Close, Paul.Close@noaa.gov

BROOKSVILLE AREA (records began in January 1892):

| Wá | armest | . Ap | prils | Co | oolest | t Ap | orils | W∈ | ettest | Apı | rils | D. | riest <i>I</i> | \pri | lls |
|----|------------------|------|-------|----|--------|------|-------|----|--------|-----|------|----|----------------|------|------|
| 1 | 75.5 | in | 1947 | 1 | 64.3 | in | 2005 | 1 | 14.49 | in | 1928 | 1 | Trace | in | 2017 |
| | 75.5 | in | 1945 | | 64.3 | in | 2004 | 2 | 8.05 | in | 1900 | | Trace | in | 1967 |
| | 75.5 | in | 1929 | 3 | 64.8 | in | 1901 | 3 | 7.54 | in | 1935 | 3 | 0.04 | in | 2001 |
| 4 | 75.2 | in | 2015 | 4 | 65.3 | in | 2000 | 4 | 7.41 | in | 1949 | 4 | 0.10 | in | 1903 |
| 5 | 74.5 | in | 1927 | 5 | 66.8 | in | 2007 | 5 | 7.38 | in | 1991 | 5 | 0.16 | in | 1977 |
| 6 | 74.4 | in | 1994 | 6 | 67.1 | in | 1950 | 6 | 6.92 | in | 1953 | 6 | 0.20 | in | 1981 |
| 7 | 74.0 | in | 1909 | 7 | 67.3 | in | 1892 | 7 | 6.48 | in | 1937 | 7 | 0.21 | in | 1932 |
| 8 | 73.9 | in | 2020 | 8 | 67.5 | in | 1998 | 8 | 6.39 | in | 1918 | 8 | 0.25 | in | 2006 |
| 9 | 73.8 | in | 1981 | 9 | 67.6 | in | 1926 | 9 | 6.33 | in | 1982 | 9 | 0.26 | in | 1998 |
| 10 | 73.7 | in | 2002 | 10 | 67.7 | in | 1952 | 10 | 6.20 | in | 1926 | 10 | 0.32 | in | 1896 |
| | 73.7 | in | 1964 | | | | | | • | | | | | | |
| | 73.7 | in | 1912 | | | | | 23 | 4.50 | in | 2021 | | | | |
| 01 | | | 2021 | 20 | 69.0 | | 2021 | | | | | | | | |
| 01 | 69.0 69.0 | | 1918 | 28 | 69.0 | | | | | | | | | | |

Normal Temperature for April at BKV = 67.7° Normal Rainfall for April at BKV = 2.56 in.

ST. LEO (records began in April 1895):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|------------------|
| 1 76.8 in 1908 | 1 66.4 in 1931 | 1 15.55 in 1953 | 1 Trace in 1967 |
| 2 76.0 in 1954 | 2 66.7 in 1987 | 2 11.22 in 1928 | 2 0.06 in 1981 |
| 76.0 in 1947 | 66.7 in 1928 | 3 7.41 in 1937 | 0.06 in 1922 |
| 4 75.7 in 1945 | 4 67.7 in 1950 | 4 7.02 in 1997 | 4 0.09 in 2001 |
| 5 75.5 in 2015 | 67.7 in 1915 | 5 6.86 in 1991 | 5 0.11 in 1903 |
| 6 75.4 in 2002 | 67.7 in 1901 | 6 6.75 in 1949 | 6 0.12 in 1963 |
| 7 75.3 in 1994 | 7 68.0 in 1903 | 6.75 in 1941 | 7 0.13 in 2017 |
| 8 74.9 in 1991 | 8 68.4 in 1916 | 8 6.61 in 2018 | 8 0.20 in 1911 |
| 9 74.6 in 2006 | 9 68.6 in 1993 | 9 6.33 in 1895 | 9 0.21 in 1998 |
| 74.6 in 1999 | 10 68.7 in 1913 | 10 6.32 in 2020 | 10 0.23 in 1896 |
| • • • | • • • | | • • • |
| 59 71.5 in 2021 | 66 71.5 in 2021 | 27 4.21 in 2021 | 100 4.21 in 2021 |
| 71.5 in 1953 | 71.5 in 1953 | | |
| 71.5 in 1925 | 71.5 in 1925 | | |

Normal Temperature for April at STLF1 = 71.9° Normal Rainfall for April at STLF1 = 2.62 in.

Contact: Paul Close, Paul.Close@noaa.gov

Date: 05/07/21

TARPON SPRINGS (records began in January 1892):

| Wá | armest | : Ap | prils | Co | oolest | t Ar | prils | M | let | test | Apı | rils | D | riest A | Apri | ils |
|----|--------|------|-------|----|--------|------|-------|----|-----|------|-----|------|----|---------|------|------|
| 1 | 76.5 | in | 2015 | 1 | 65.7 | in | 1987 | 1 | | 7.63 | in | 1931 | 1 | 0.00 | in | 1967 |
| 2 | 76.4 | in | 1947 | 2 | 67.1 | in | 1915 | 2 | | 7.20 | in | 1942 | 2 | Trace | in | 1896 |
| 3 | 76.0 | in | 1991 | 3 | 67.2 | in | 1962 | 3 | } | 6.97 | in | 1949 | 3 | 0.05 | in | 1922 |
| 4 | 75.3 | in | 1945 | 4 | 67.4 | in | 1950 | 4 | Į. | 6.66 | in | 1928 | 4 | 0.07 | in | 1981 |
| 5 | 75.1 | in | 1994 | | 67.4 | in | 1940 | 5 |) | 6.31 | in | 1953 | | 0.07 | in | 1972 |
| 6 | 75.0 | in | 2020 | 6 | 67.5 | in | 1903 | 6 | 5 | 6.01 | in | 1957 | 6 | 0.08 | in | 1923 |
| 7 | 74.9 | in | 1948 | 7 | 67.8 | in | 1916 | 7 | 7 | 6.00 | in | 2020 | 7 | 0.16 | in | 1998 |
| 8 | 74.8 | in | 1922 | 8 | 67.9 | in | 1971 | 8 | } | 5.97 | in | 1933 | 8 | 0.18 | in | 1903 |
| | 74.8 | in | 1912 | | 67.9 | in | 1961 | 9 |) | 5.90 | in | 1959 | 9 | 0.20 | in | 2017 |
| 10 | 74.7 | in | 2002 | | 67.9 | in | 1910 | 10 |) | 5.70 | in | 1941 | 10 | 0.23 | in | 1910 |
| | 74.7 | in | 1929 | | | | | | | | | | | | | |
| | | | | | | | | 31 | | 3.62 | in | 2021 | 98 | 3.62 | in | 2021 |
| 86 | 70.3 | in | 2021 | 40 | 70.3 | in | 2021 | | | | | | | | | |
| | 70.3 | in | 1896 | | 70.3 | in | 1896 | | | | | | | | | |

Normal Temperature for April at TRPF1 = 70.7° Normal Rainfall for April at TRPF1 = 2.37 in.

TAMPA AREA (records began in April 1890):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|------------------|-----------------|------------------|
| 1 78.0 in 2015 | 1 66.3 in 1987 | 1 10.71 in 1997 | 1 Trace in 1981 |
| 2 77.1 in 2017 | 2 66.7 in 1901 | 2 8.04 in 1920 | Trace in 1967 |
| 3 76.8 in 1991 | 3 67.2 in 1993 | 3 7.23 in 1931 | 3 0.02 in 2001 |
| 4 76.6 in 1947 | 4 67.7 in 1950 | 4 6.73 in 2020 | 4 0.05 in 1969 |
| 5 76.4 in 1908 | 5 68.1 in 1903 | 5 6.59 in 1957 | 5 0.16 in 1922 |
| 6 76.3 in 2011 | 6 68.2 in 1899 | 6 6.14 in 1933 | 0.16 in 1898 |
| 76.3 in 2002 | 7 68.6 in 1983 | 7 5.75 in 1926 | 7 0.21 in 1963 |
| 8 76.0 in 1945 | 68.6 in 1961 | 8 5.48 in 1959 | 8 0.31 in 1892 |
| 9 75.4 in 2020 | 68.6 in 1915 | 9 5.38 in 1895 | 9 0.35 in 1938 |
| 75.4 in 2013 | 68.6 in 1891 | 10 5.19 in 1951 | 10 0.37 in 1946 |
| • • • | | 5.19 in 1941 | |
| 27 73.9 in 2021 | 105 73.9 in 2021 | • • • | • • • |
| 73.9 in 1911 | 73.9 in 1911 | 29 3.35 in 2021 | 104 3.35 in 2021 |

Normal Temperature for April at TPA = 72.0° Normal Rainfall for April at TRA = 2.03 in.

ST. PETERSBURG (records began in August 1914):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| 1 78.6 in 2015 | 1 68.5 in 1950 | 1 9.73 in 1997 | 1 0.00 in 1967 |
| 2 77.0 in 2011 | 2 68.7 in 1987 | 2 9.09 in 1920 | 2 Trace in 1981 |
| 77.0 in 1947 | 3 68.9 in 1993 | 3 8.45 in 1951 | 3 0.01 in 1974 |
| 4 76.9 in 2002 | 4 69.2 in 1952 | 4 7.69 in 1933 | 4 0.04 in 2001 |
| 5 76.6 in 1991 | 5 69.3 in 1983 | 5 7.39 in 1957 | 5 0.07 in 1987 |
| 6 76.5 in 2020 | 6 70.1 in 1916 | 6 7.20 in 2003 | 6 0.11 in 1998 |
| 76.5 in 2013 | 7 70.2 in 1915 | 7 6.16 in 1960 | 7 0.24 in 1932 |
| 8 76.1 in 1929 | 8 70.4 in 1951 | 8 6.09 in 1948 | 8 0.25 in 1977 |
| 9 76.0 in 1981 | 9 70.6 in 1931 | 9 5.81 in 1931 | 9 0.27 in 2006 |
| 76.0 in 1954 | 10 70.8 in 1996 | 10 5.46 in 1941 | 0.27 in 1963 |
| 76.0 in 1922 | 70.8 in 1961 | | |
| | • • • | 47 1.95 in 2021 | 61 1.95 in 2021 |
| 20 74 0 in 2021 | 67 74 0 in 2021 | | |

39 74.0 in 2021 67 74.0 in 2021

Normal Temperature for April at SPG = 72.9° Normal Rainfall for April at SPG = 2.27 in.

PLANT CITY (Temperature records began in Sep 1892 and Rainfall records began in Jan 1893):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|-----------------|-----------------|
| | | | |
| 1 77.2 in 2020 | 1 65.0 in 1901 | 1 7.29 in 1931 | 1 0.00 in 2001 |
| 2 76.9 in 2015 | 2 65.5 in 1987 | 2 7.13 in 1957 | 0.00 in 1981 |
| 3 76.1 in 1947 | 3 65.9 in 1931 | 3 7.11 in 1933 | 0.00 in 1967 |
| 4 75.9 in 1912 | 4 67.4 in 1932 | 4 6.56 in 1928 | 4 0.16 in 1987 |
| 5 75.8 in 1911 | 5 67.6 in 1983 | 5 6.53 in 1941 | 5 0.20 in 1923 |
| 6 75.7 in 1945 | 67.6 in 1902 | 6 6.40 in 1937 | 0.20 in 1911 |
| 7 75.6 in 2011 | 7 67.7 in 2005 | 7 6.36 in 1947 | 7 0.26 in 1938 |
| 8 75.5 in 1991 | 8 67.9 in 1993 | 8 6.06 in 1997 | 8 0.27 in 1963 |
| 9 75.3 in 2017 | 9 68.0 in 1940 | 9 6.00 in 1951 | 9 0.31 in 1977 |
| 10 75.2 in 2019 | 10 68.2 in 1925 | 10 5.78 in 1959 | 10 0.32 in 1898 |

Average Temperature for April 1-28, $2021 = 74.1^{\circ}$ Normal Temperature for April at PLCF1 = 70.9°

Total Rainfall for April 1-28, 2021 = 3.75 inches Normal Rainfall for April at PLCF1 = 2.69 in.

LAKELAND AREA (records began in January 1915):

| Wá | armest | z Ar | prils | Co | oolest | t Ag | prils | V | Wet | test | Apı | rils | | Dr | iest <i>I</i> | ∖pri | ils |
|----|--------|------|-------|----|--------|------|-------|----|-----|------|-----|------|---|-----|---------------|------|------|
| 1 | 77.2 | in | 2015 | 1 | 67.3 | in | 1950 | - | 1 | 8.48 | in | 1959 | | 1 | 0.00 | in | 1967 |
| 2 | 76.6 | in | 2020 | 2 | 68.3 | in | 2005 | 2 | 2 | 8.36 | in | 1939 | | 2 | 0.04 | in | 2001 |
| 3 | 76.5 | in | 1991 | | 68.3 | in | 1952 | 3 | 3 | 8.35 | in | 1934 | | 3 | 0.05 | in | 1963 |
| 4 | 76.3 | in | 1994 | 4 | 68.5 | in | 1987 | 4 | 4 | 8.15 | in | 1951 | | 4 | 0.09 | in | 1981 |
| 5 | 76.2 | in | 1922 | 5 | 68.6 | in | 1961 | | 5 | 7.71 | in | 1928 | | 5 | 0.22 | in | 1977 |
| 6 | 76.1 | in | 2011 | | 68.6 | in | 1951 | (| 6 | 6.84 | in | 1997 | | 6 | 0.25 | in | 1922 |
| 7 | 75.8 | in | 1947 | 7 | 68.7 | in | 2007 | - | 7 | 6.77 | in | 1957 | | 7 | 0.42 | in | 1972 |
| 8 | 75.6 | in | 1945 | 8 | 68.9 | in | 1973 | 8 | 8 | 6.66 | in | 1920 | | | 0.42 | in | 1969 |
| 9 | 75.4 | in | 1929 | 9 | 69.0 | in | 1983 | (| 9 | 5.82 | in | 1926 | | 9 | 0.43 | in | 1932 |
| 10 | 75.2 | in | 2002 | 10 | 69.5 | in | 1931 | 1(| 0 | 5.60 | in | 1941 | - | L 0 | 0.44 | in | 1945 |
| | | | | | 69.5 | in | 1915 | | | | | | | | | | |
| | • | | | | | | | 21 | 1 | 3.87 | in | 2021 | 8 | 35 | 3.87 | in | 2021 |
| 24 | 73.7 | in | 2021 | 81 | 73.7 | in | 2021 | | | 3.87 | in | 1992 | 8 | 35 | 3.87 | in | 1992 |
| | 73.7 | in | 2016 | | 73.7 | in | 2016 | | | 3.87 | in | 1918 | 8 | 35 | 3.87 | in | 1918 |
| | 73.7 | in | 1989 | | 73.7 | in | 1989 | | | | | | | | | | |
| | 73.7 | in | 1982 | | 73.7 | in | 1982 | | | | | | | | | | |

Normal Temperature for April at LLDF1 = 71.1° Normal Rainfall for April at LLDF1 = 2.67 in.

WINTER HAVEN AREA (records began in March 1941):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|--|--|--|--|
| 1 78.6 in 2015 2 77.8 in 1947 3 77.5 in 1991 4 77.1 in 1945 5 76.6 in 2002 6 76.3 in 2011 | 1 67.0 in 1987 2 68.5 in 1983 68.5 in 1973 4 69.0 in 1961 5 69.1 in 1971 6 69.7 in 2005 | 1 7.36 in 1951 2 7.29 in 1941 3 6.51 in 2008 4 6.34 in 1957 5 5.55 in 1947 6 5.30 in 1960 | 1 0.00 in 1981 0.00 in 1967 3 0.18 in 1963 4 0.28 in 1946 5 0.46 in 1952 6 0.51 in 2017 |
| 7 76.0 in 2020 8 75.8 in 1994 9 75.7 in 1948 10 75.1 in 2019 | 69.7 in 1962 8 69.9 in 1993 9 70.0 in 1951 10 70.1 in 2004 | 7 5.11 in 1997 8 5.01 in 1959 9 4.42 in 2018 4.42 in 1991 11 4.08 in 2010 | 7 0.56 in 2001 8 0.61 in 1978 9 0.62 in 1968 10 0.64 in 1986 |
| 26 73.5 in 2021 | 43 73.5 in 2021 | 12 4.06 in 2005 13 4.02 in 1993 14 3.80 in 1989 15 3.79 in 1982 16 3.55 in 2021 | |

Normal Temperature for April at GIF = 72.2° Normal Rainfall for April at GIF = 2.48 in.

Contact: Paul Close, Paul.Close@noaa.gov

BARTOW (records began in June 1892):

| Warmest | Api | rils | Cod | olest | Apı | rils | W | Wettest Aprils | | | Dr | iest Ar | oril | ls | |
|---------|-----|------|-----|-------|-----|------|---|----------------|------|----|------|---------|-------|----|------|
| 1 78.7 | in | 1908 | 1 | 65.9 | in | 1926 | | 1 | 9.70 | in | 1920 | 1 | 0.00 | in | 1967 |
| 2 77.2 | in | 1945 | 2 | 66.3 | in | 1901 | | 2 | 8.40 | in | 1951 | 2 | Trace | in | 2000 |
| 3 76.1 | in | 1991 | 3 | 66.9 | in | 1915 | | 3 | 6.89 | in | 1941 | | Trace | in | 1907 |
| 4 76.0 | in | 1999 | 4 | 67.3 | in | 1928 | | 4 | 6.69 | in | 1934 | 4 | 0.04 | in | 1922 |
| 76.0 | in | 1947 | 5 | 68.0 | in | 1913 | | 5 | 6.43 | in | 1937 | 5 | 0.11 | in | 1981 |
| 76.0 | in | 1922 | 6 | 68.1 | in | 1987 | | 6 | 6.14 | in | 1935 | 6 | 0.17 | in | 1938 |
| 7 75.9 | in | 2014 | 7 | 68.4 | in | 1950 | | 7 | 6.12 | in | 1954 | 7 | 0.20 | in | 1987 |
| 8 75.7 | in | 1965 | | 68.4 | in | 1931 | | | 6.12 | in | 1895 | 8 | 0.21 | in | 2006 |
| 9 75.6 | in | 2002 | 9 | 68.8 | in | 1952 | | 9 | 5.94 | in | 1933 | 9 | 0.28 | in | 2001 |
| 10 75.6 | in | 1954 | 10 | 68.9 | in | 1937 | 1 | 0 | 5.87 | in | 1991 | 10 | 0.34 | in | 1919 |
| | | | | | | | | | | | | | | | |
| 53 72.6 | in | 2021 | 64 | 72.6 | in | 2021 | 4 | 9 | 2.91 | in | 2021 | 80 | 2.91 | in | 2021 |

Normal Temperature for April at BARF1 = 72.5° Normal Rainfall for April at BARF1 = 2.73 in.

SARASOTA-BRADENTON AREA (records began in January 1911):

| Warmest Aprils | | Co | oolest | t Ar | prils | ₩€ | ettest | Aprils D | | | riest Aprils | | | | |
|----------------|-----|----|--------|------|-------|----|--------|----------|-------|----|--------------|----|-------|----|------|
| 1 7 | 5.9 | in | 2015 | 1 | 65.9 | in | 1987 | 1 | 10.23 | in | 1957 | 1 | 0.00 | in | 1967 |
| 7 | 5.9 | in | 1945 | 2 | 67.0 | in | 1916 | 2 | 9.82 | in | 1920 | 2 | Trace | in | 2017 |
| 3 7 | 5.2 | in | 2020 | 3 | 67.1 | in | 1915 | 3 | 8.78 | in | 1997 | 3 | 0.01 | in | 1923 |
| 4 7 | 5.1 | in | 1994 | 4 | 67.5 | in | 1931 | 4 | 7.36 | in | 2020 | 4 | 0.03 | in | 1981 |
| 5 7 | 5.0 | in | 2017 | 5 | 67.8 | in | 1986 | 5 | 7.22 | in | 1933 | 5 | 0.08 | in | 1963 |
| 6 7 | 4.9 | in | 1947 | 6 | 68.3 | in | 2005 | 6 | 7.09 | in | 1951 | 6 | 0.10 | in | 1998 |
| 7 7 | 4.6 | in | 2002 | | 68.3 | in | 1950 | 7 | 5.55 | in | 1930 | 7 | 0.10 | in | 1922 |
| 8 7 | 4.5 | in | 1954 | 8 | 68.4 | in | 1993 | 8 | 5.11 | in | 1953 | 8 | 0.14 | in | 2006 |
| 9 7 | 4.4 | in | 2013 | 9 | 68.5 | in | 1971 | 9 | 4.87 | in | 1916 | | 0.14 | in | 2001 |
| 10 7 | 4.1 | in | 2019 | | 68.5 | in | 1940 | 10 | 4.85 | in | 1960 | 10 | 0.15 | in | 1938 |
| 7 | 4.1 | in | 1965 | | | | | 11 | 4.57 | in | 1991 | | | | |
| | | | | | | | | 12 | 4.56 | in | 1948 | | | | |
| 35 7 | 2.3 | in | 2021 | 74 | 72.3 | in | 2021 | 13 | 4.54 | in | 1928 | | | | |
| | | | | | | | | 14 | 4.25 | in | 1962 | | | | |
| | | | | | | | | 15 | 4.13 | in | 1942 | | | | |
| | | | | | | | | 16 | 4.09 | in | 2021 | | | | |

Normal Temperature for April at SRQ = 71.1° Normal Rainfall for April at SRQ = 2.44 in.

VENICE (records began in May 1955):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|-----------------|------------------|-----------------|
| 1 76.9 in 2015 | 1 65.5 in 1987 | 1 13.85 in 1957 | 1 0.00 in 1967 |
| 1 70.9 111 2013 | 1 03.3 111 1907 | 1 13.03 111 1937 | |
| 2 76.2 in 2011 | 2 68.0 in 1986 | 2 7.86 in 1997 | 2 0.06 in 1975 |
| 3 76.1 in 1994 | 3 68.5 in 1993 | 3 6.10 in 1962 | 3 0.07 in 1987 |
| 4 75.9 in 2013 | 4 68.6 in 2005 | 4 5.20 in 1993 | 0.07 in 1978 |
| 5 75.5 in 2002 | 5 68.8 in 1983 | 5 5.18 in 1984 | 5 0.09 in 1963 |
| 6 75.0 in 2020 | 68.8 in 1962 | 6 5.09 in 1991 | 6 0.15 in 2006 |
| 7 74.5 in 2017 | 7 69.0 in 1988 | 7 4.51 in 2013 | 7 0.16 in 2001 |
| 74.5 in 1999 | 8 69.3 in 1984 | 4.51 in 1982 | 8 0.17 in 1970 |
| 9 74.4 in 2012 | 9 69.4 in 2007 | 9 4.12 in 1966 | 9 0.18 in 1999 |
| 10 74.3 in 2019 | 10 69.6 in 1956 | 10 4.01 in 2004 | 10 0.24 in 1972 |
| • • • | | • • • | • • • |
| 36 71.7 in 2021 | 28 71.7 in 2021 | 25 2.53 in 2021 | 42 2.53 in 2021 |

Normal Temperature for April at $VNCF1 = 71.1^{\circ}$ Normal Rainfall for April at VNCF1 = 2.48 in.

MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

| Wá | armest | z Ar | prils | С | polest | . Ar | orils | W | ettest | Apı | rils | D | riest A | Apri | ils |
|----|--------|------|-------|----|--------|------|-------|----|--------|-----|------|----|---------|------|------|
| 1 | 77.0 | in | 2015 | 1 | 66.5 | in | 1987 | 1 | 8.93 | in | 1997 | 1 | 0.00 | in | 2001 |
| 2 | 76.0 | in | 1999 | 2 | 67.8 | in | 1962 | 2 | 7.85 | in | 1993 | 2 | Trace | in | 1981 |
| 3 | 75.7 | in | 1994 | 3 | 68.0 | in | 1961 | 3 | 7.10 | in | 1954 | 3 | 0.02 | in | 1987 |
| 4 | 74.8 | in | 1982 | 4 | 68.3 | in | 2005 | 4 | 7.02 | in | 1948 | 4 | 0.04 | in | 1946 |
| 5 | 74.7 | in | 2013 | 5 | 68.4 | in | 1986 | 5 | 6.82 | in | 1957 | 5 | 0.10 | in | 2006 |
| | 74.7 | in | 2011 | 6 | 68.7 | in | 1973 | 6 | 6.54 | in | 2020 | 6 | 0.12 | in | 1970 |
| | 74.7 | in | 1981 | 7 | 69.2 | in | 2004 | 7 | 6.22 | in | 1951 | 7 | 0.15 | in | 1978 |
| 8 | 74.4 | in | 2002 | 8 | 69.3 | in | 1971 | 8 | 5.58 | in | 1995 | 8 | 0.20 | in | 1998 |
| | 74.4 | in | 1970 | 9 | 69.7 | in | 1983 | 9 | 5.17 | in | 2008 | 9 | 0.33 | in | 1971 |
| 10 | 74.2 | in | 1979 | 10 | 70.0 | in | 1963 | 10 | 5.05 | in | 1982 | 10 | 0.43 | in | 1950 |
| | • | | | | | | | | | | | | | | |
| 43 | 70.9 | in | 2021 | 16 | 70.9 | in | 2021 | 25 | 2.79 | in | 2021 | 51 | 2.79 | in | 2021 |
| | 70.9 | in | 1960 | 16 | 70.9 | in | 1960 | | | | | | | | |

Normal Temperature for April at MKCF1 = 71.6° Normal Rainfall for April at MKCF1 = 2.59 in.

WAUCHULA 2 N (records began in January 1933):

| Wa | rmest | : Ag | prils | С | oolest | . Ar | orils | We | ettest | Aprils | | Dr | Driest | | ils |
|-----------------------|--|----------------------------|--------------------------------------|------------------|--|----------------------|--------------------------------------|---------------------------------|--------------------------------------|----------------------|--|-----------------------|--------------------------------------|----------------------------|--|
| 2 3 4 5 6 | 77.2 76.3 75.4 74.8 74.7 74.5 74.4 | in in in in in | 1947 2015 1968 1991 1970 | 2 4 5 6 | 65.7 66.7 66.8 67.6 67.9 68.1 | in in in in | 1993 1987 2004 1983 1952 | 1 2 3 4 5 6 7 | 7.75 6.94 6.60 6.55 6.44 | in in in in | 1951 1947 1962 1995 1953 1992 1934 | 1 4 5 6 7 | 0.00 0.00 0.03 0.05 0.08 | in in in in in | 2001 1978 1967 1963 1971 1981 1970 |
| 8 | 74.2 | in | 1965 | 8 | 68.3 | in | 2000 | 8 | 6.16 | in | 2021 | 8 | 0.16 | in | 1987 |
| 9 | 74.1 | in | 2020 | 9 | 68.5 | in | 2007 | 9 | 5.95 | in | 1997 | 9 | 0.22 | in | 1945 |
| | 74.1 | | | | 68.5 | in | 1997 | 10 | 5.44 | in | 1933 | 10 | 0.23 | in | 1975 |
| | 74.1 | in | 1939 | | | | | | | | | | | | |
| | | | 0001 | • • • | | | 0001 | | | | | | | | |
| 54 | 71.0 | | | 28 | 71.0 | | | | | | | | | | |
| | 71.0 | | | | 71.0 | | | | | | | | | | |
| | 71.0 | in | 1971 | | 71.0 | in | 1971 | | | | | | | | |

Normal Temperature for April at WAUF1 = 71.7° Normal Rainfall for April at WAUF1 = 2.74 in.

ARCADIA (records began in November 1899):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|-----------------|----------------|-----------------|-----------------|
| 1 78.1 in 1908 | 1 66.9 in 1987 | 1 8.34 in 1997 | 1 0.00 in 1987 |
| 2 77.6 in 1912 | 2 67.0 in 1992 | 2 8.08 in 1933 | 0.00 in 1970 |
| 3 77.2 in 1945 | 3 67.2 in 1901 | 3 8.00 in 1951 | 0.00 in 1967 |
| 4 77.0 in 1947 | 4 67.4 in 1950 | 4 5.97 in 1957 | 4 0.02 in 2001 |
| 5 76.4 in 2015 | 5 67.7 in 2004 | 5 5.88 in 1954 | 0.02 in 1903 |
| 6 75.6 in 1911 | 6 67.9 in 1986 | 6 5.84 in 1920 | 6 0.06 in 1977 |
| 7 75.1 in 1954 | 7 68.6 in 1931 | 7 5.64 in 2020 | 7 0.08 in 1981 |
| 8 74.8 in 1991 | 8 68.7 in 2000 | 5.64 in 1939 | 8 0.11 in 1978 |
| 9 74.7 in 1929 | 9 69.0 in 1983 | 9 5.38 in 1930 | 9 0.13 in 1971 |
| 10 74.6 in 2011 | 69.0 in 1952 | 10 5.29 in 2015 | 10 0.14 in 1946 |

Average Temperature for April 1-25, 2021 = 71.2° Normal Temperature for April at ARCF1 = 70.3°

Total Rainfall for April 1-25, 2021 = 2.31 inches Normal Rainfall for April at ARCF1 = 2.47 in.

Contact: Paul Close, Paul.Close@noaa.gov

ARCHBOLD BIO STN (records began in January 1969):

| Warmest Aprils | | Co | polest | t Ar | prils | ils Wettest A | | | Aprils | | | Driest Aprils | | | | |
|----------------|------|----|--------|------|-------|---------------|------|----|--------|----|------|---------------|---|------|----|------|
| 1 | 76.6 | in | 2015 | 1 | 63.0 | in | 1987 | 1 | 5.90 | in | 1972 | | 1 | 0.03 | in | 2006 |
| 2 | 75.0 | in | 2020 | 2 | 66.4 | in | 1986 | 2 | 5.65 | in | 2015 | | 2 | 0.08 | in | 1971 |
| 3 | 74.8 | in | 1991 | 3 | 66.7 | in | 2004 | 3 | 5.47 | in | 1997 | | 3 | 0.16 | in | 1981 |
| 4 | 74.4 | in | 2011 | 4 | 66.9 | in | 1993 | 4 | 5.37 | in | 2013 | | 4 | 0.19 | in | 1970 |
| 5 | 74.1 | in | 1994 | 5 | 67.4 | in | 2005 | 5 | 4.91 | in | 1992 | | 5 | 0.21 | in | 1986 |
| 6 | 73.7 | in | 1982 | | 67.4 | in | 1983 | 6 | 4.90 | in | 1973 | | 6 | 0.42 | in | 2016 |
| 7 | 73.5 | in | 1975 | 7 | 67.7 | in | 2000 | 7 | 4.15 | in | 1982 | | 7 | 0.43 | in | 1978 |
| 8 | 73.4 | in | 2013 | 8 | 68.6 | in | 1971 | 8 | 4.10 | in | 2004 | | 8 | 0.52 | in | 1987 |
| 9 | 73.1 | in | 2017 | 9 | 68.7 | in | 1992 | 9 | 3.90 | in | 1980 | | 9 | 0.59 | in | 2009 |
| 10 | 73.0 | in | 2002 | 10 | 68.8 | in | 2007 | 10 | 3.48 | in | 2020 | 1 | 0 | 0.69 | in | 1977 |
| | 73.0 | in | 1981 | | 68.8 | in | 1984 | | 3.48 | in | 1999 | | | | | |

Average Temperature for April 2021 = Not Available Yet Normal Temperature for April at ACHF1 = 69.7°

Total Rainfall for April 2021 = Not Available Yet Normal Rainfall for April at ACHF1 = 2.25 in.

PUNTA GORDA AREA (records began in May 1914):

| Warmest Aprils | | С | Coolest Aprils | | | | Wettest | | | Aprils | | riest A | ∖pri | ils | | |
|----------------|------|----|----------------|----|------|----|---------|---|---|--------|----|---------|------|-------|----|------|
| 1 | 78.7 | in | 1945 | 1 | 67.9 | in | 1987 | | 1 | 8.70 | in | 1920 | 1 | 0.00 | in | 1981 |
| 2 | 78.2 | in | 1947 | 2 | 68.7 | in | 1915 | | 2 | 7.93 | in | 1957 | | 0.00 | in | 1963 |
| 3 | 76.9 | in | 1944 | 3 | 69.1 | in | 2004 | | 3 | 7.08 | in | 1931 | | 0.00 | in | 1946 |
| 4 | 76.6 | in | 2015 | | 69.1 | in | 1916 | | 4 | 5.80 | in | 1994 | 4 | Trace | in | 1975 |
| | 76.6 | in | 1994 | 5 | 69.2 | in | 2005 | | 5 | 5.52 | in | 1941 | | Trace | in | 1967 |
| 6 | 76.1 | in | 1954 | 6 | 69.7 | in | 1971 | | 6 | 5.36 | in | 1947 | 6 | 0.03 | in | 1922 |
| 7 | 76.0 | in | 1991 | 7 | 70.0 | in | 1993 | | 7 | 5.20 | in | 1933 | 7 | 0.05 | in | 2006 |
| | 76.0 | in | 1946 | | 70.0 | in | 1986 | | 8 | 5.15 | in | 1997 | 8 | 0.09 | in | 1970 |
| 9 | 75.9 | in | 1948 | 9 | 70.1 | in | 2000 | | 9 | 5.08 | in | 1965 | 9 | 0.10 | in | 2001 |
| 10 | 75.8 | in | 2013 | 10 | 70.2 | in | 1950 | | | 5.08 | in | 1948 | 10 | 0.11 | in | 1987 |
| | | | | | • | | | | | | | | | | | |
| 34 | 73.7 | in | 2021 | 65 | 73.7 | in | 2021 | 2 | 9 | 2.89 | in | 2021 | 75 | 2.89 | in | 2021 |
| | 73.7 | in | 2019 | | 73.7 | in | 2019 | | | | | | | | | |
| | 73.7 | in | 1999 | | 73.7 | in | 1999 | | | | | | | | | |
| | 73.7 | in | 1939 | | 73.7 | in | 1939 | | | | | | | | | |
| | 73.7 | in | 1933 | | 73.7 | in | 1933 | | | | | | | | | |

Normal Temperature for April at PGD = 71.8° Normal Rainfall for April at PGD = 2.43 in.

FORT MYERS AREA (records began in January 1902):

| Warmest Aprils | Coolest Aprils | Wettest Aprils | Driest Aprils |
|--|--|--|---|
| 1 79.2 in 2020 2 78.8 in 2015 3 77.7 in 2011 77.7 in 1991 77.7 in 1947 6 77.4 in 1994 7 77.3 in 1908 | 1 68.5 in 1950 2 68.8 in 1987 3 69.3 in 1915 4 69.6 in 1903 5 70.1 in 1983 70.1 in 1910 7 70.2 in 1952 | 1 8.42 in 1939 2 7.66 in 1941 3 6.06 in 1933 4 5.89 in 1930 5 5.68 in 1994 6 5.61 in 1916 7 5.50 in 1949 | 1 Trace in 1970 Trace in 1967 Trace in 1903 4 0.01 in 2006 0.01 in 1946 6 0.02 in 1922 7 0.08 in 1981 |
| 8 76.9 in 2018 | 8 70.4 in 1971 | 8 5.34 in 1995 | 0.08 in 1950 |
| 76.9 in 2013 | 9 70.6 in 1931 | 9 5.01 in 1991 | 9 0.11 in 1974 |
| 76.9 in 2002 76.9 in 1945 | 10 70.8 in 2005 70.8 in 1993 | 10 5.00 in 1997 | 10 0.14 in 1987 |
| 70.9 111 1943 | 70.8 in 1961 | 20 3.73 in 2021 | 101 3.73 in 2021 |
| | 70.8 in 1907 | 20 3.73 111 2021 | 101 3.73 III 2021 |
| | 70.8 in 1902 | | |
| 04.75.2 4- 0001 | 05 75 2 4- 0001 | | |
| 24 75.3 in 2021 75.3 in 1989 75.3 in 1922 | 95 75.3 in 2021 75.3 in 1989 75.3 in 1922 | | |

Normal Temperature for April at FMY = 73.8° Normal Rainfall for April at FMY = 2.18 in.

For more Climate information visit our web site at the following link: https://www.weather.gov/tampabay and then go to the Climate and Past Weather drop down menu above the graphical forecast images.